



For low/medium plate resistance (500Ω - 5kΩ) driver tubes w. plate current <25mA

ECC99, 6SN7, ECC32, 7044, 417A, Emission Labs 20AM & 30A and many more

- Oversized amorphous C-core technology
- Non-bifilar layered design for applications where DC potentials (<750V) are present between primary/secondary
- High output level
- Attractive black textured matte steel housing



Symb.	Parameter	Value	Unit	Remarks
n	Turns ratio	1:1		
L	Primary inductance	51	H	
I <sub>pr</sub>	Rec. primary current	25	mA	
FR	Frequency response (grounded secondary) -3dB	7–300,000	Hz	
R <sub>gen</sub>	FR measured with R <sub>gen</sub>	2200	Ω	
V <sub>O max</sub>	Max. output level @25Hz	140	V <sub>rms</sub>	
R <sub>p</sub>	Primary winding resistance	285	Ω	
R <sub>s</sub>	Secondary winding resistance	285	Ω	
V <sub>p/s</sub>	Max recommended P/S DC voltage	750	V	



level (dB) vs. frequency (Hz): e.g. @ 2K2 generator resistance  
 100K // 50 pF load resistance

Bandwidth for various Rgen


R load=100K //50pF, secondary grounded

Rgen ( $\Omega$ )	f-3dB LF	f-3dB HF
800	<5Hz	>500,000 Hz
2200	7 Hz	300,000 Hz
5000	16 Hz	145,000 Hz

10 kHz square wave response into 100k $\Omega$ //50pF



CASE-1 DIMENSIONS & FOOTPRINT



SHIPPING WEIGHT APPROX 4 KG

COATING AXALTA FINE TEXTURE BLACK POWDER COAT

#### Notes and disclaimers

Monolith Magnetics reserves the right to modify or update its products without prior warning or further notice in order to improve performance, reliability, production process, function or design.

While every effort has been taken to ensure the accuracy of the information contained in this text, the author assumes no responsibility for errors or omissions, or for damages resulting from the use of the information contained herein.

Electronic circuits, and more specifically high voltage tube circuits even with all components operating properly, may cause property damage, physical damage & death if not handled properly. By buying our products you agree to accept full responsibility for any and all damage, injury, death resulting from it or from using it